



GOVERNMENT OF KERALA
EXCISE DEPARTMENT

Excise Headquarters, Nandavanam, Thiruvananthapuram,
Pin-695033 www.keralaexcise.gov.in

Tender No: 08/2018-19/Excise(Retender) dated 23/10/2018
EXC/2747/2018/XG1A/SN

SETTING UP OF 3 BIOTOILETS IN 3 EXCISE CHEKPOSTS

(GO(Rt) No.401/2018/TD, Dated 07/06/2018)

NOTICE INVITING TENDER

The Commissioner, Excise Department, Government of Kerala, invites e-tenders from reputed firms / Authorized distributors / dealers /Individual for the **setting up of 3 bio toilets in 3 Excise Check Posts**

A Non-Refundable Tender Fee Rs.2124 /- (Rs. 1800/- + TAX) (Rupees Two Thousand One Hundred and Twenty Four only) should be paid along with the bid. The amounts shall be paid online through e-Procurement portal, www.etenders.kerala.gov.in, favoring The Commissioner, Kerala Excise Department, and an agreement in Kerala Government stamp paper of value Rs.200/- in the format specified in ANNEXURE - II, duly filled and signed should be submitted.

A Refundable Earnest Money Deposit of Rs. 12,000/- (Rs Twelve Thousand Only) should be submitted along with the bid through e-payment in favour of The Commissioner, Kerala Excise Department. EMD of unsuccessful bidders will be refunded. EMD of successful bidder will be refunded after submitting the security deposit and agreement. EMD is liable to be forfeited in case (1) the bidder withdraws his tender after opening the tenders (2) the successful bidder fails to furnish the Security Deposit/performance bank guarantee within fifteen days after acceptance or fails to enter into agreement for supply of the items in the tender within fifteen days. No interest shall accrue on EMD.

The tender should be submitted through the e-procurement portal of the Government of Kerala, www.etenders.kerala.gov.in. The bidder shall submit an agreement in Rs.200/- worth Kerala Government Stamp Paper duly filled and signed by the bidder in sealed cover to the Excise Commissioner before opening of the tenders.

Important dates and time of the tender

Event	Date	Time	Venue
Publication of e-Tender at e-Procurement website www.etenders.kerala.gov.in .	01/11/2018	5 PM	
Bid submission start date	01/11/2018	5 PM	
Last date for submission of e-Tender	09/11/2018	5 PM	
Opening of Tenders and evaluation	12/11/2018	10AM	Chamber of the Excise Commissioner, Excise Headquarters, Thiruvananthapuram

The Tender Document is available on the Kerala Government e-procurement website: www.etenders.kerala.gov.in. The Excise Commissioner reserves all rights to amend or cancel the tender without prior notice at any point of time.

**Sd/-
EXCISE COMMISSIONER**

Address for correspondence:

The Excise Commissioner
Excise Headquarters
Museum-Nandavanam Road
Vikas Bhavan.P.O
Thiruvananthapuram- 695564
Ph: 0471 2322825, 9446122358
e-mail: excisemodernisation@gmail.com

2. INSTRUCTIONS FOR PREPARING AND SUBMITTING THE TENDER DOCUMENT

2.1 Download the tender document from the e-procurement web portal of Government of Kerala www.etenders.kerala.gov.in.

2.2 The bidder shall upload the following documents.

1. Acceptance of tender conditions prescribed in Annexure-I.
2. Agreement in Annexure II in Rs.200/- Kerala Government Stamp Paper duly filled and signed by the bidder.
3. Annual Turn over Details(Audited Financial Statement)

2.3 Eligibility Criteria:

The Bidders should upload documentary evidence for fulfilling the Eligibility Criteria. If a bidder fails to upload the documentary proof for eligibility, their bid will be summarily rejected.

2.3.1 GST registration of the bidder : Copy of the Certificate shall be

Uploaded

2.3.2 PAN of the bidder : Copy of PAN card shall be

Uploaded

2.3.3 Presence of bidder in Kerala for business : 3 years (GST/SSI etc. Registration certificate shall be uploaded)

2.3.4 The bidder should have at least one office /Workshop in Kerala. (Furnish the full address and Telephone No.)

2.3.1 Turnover of the bidder for 2014-15/2015-16/2016-17: Rs 50 Lakhs or above (Relevant pages of the Audited Financial Statement shall be uploaded)

2.4 Submission of Tender: The bidder shall submit the tender through the e procurement portal www.etenders.kerala.gov.in on or before the last date and time specified in the Tender notice

SPECIFICATIONS

Prefabricated Toilet SS model – Specifications

Sl. No	Features
01	Super structure of the Prefabricated toilet to have aesthetic ambience with inner room size of 1.1 x 0.7 x 1.8 meters (L x W x H)
02	Size of Prefabricated Toilet - Overall size in 'meters' not less than- 1.3 x0.9 x 1.9 (L x W x H)
03	Built - access controlled main door and side walls made of SS grade 304
04	Indian type closet made of SS 304 grade integrated to a single layered floor of SS 304 grade without welding marks
05	Built-in water tank with minimum 225Liters capacity
06	Status indication on door – Vacant /Busy which function on the basis of inside door lock
07	Switch based lights& exhaust inside the unit to be provided
08	Retractable type Manual flush option to be provided inside the toilet.
09	Standard features should include wash basin with tap ,water tap, cloth hanger are to be provided
10	Necessary louvering's are to be made in the side walls for air flow
11	Prefabricated, modular & portable design enabling easy assembling and installation at site.
12	Base of the unit - to be placed on a suitable concrete structure
13	Space for Advertisement display to be provided on the exterior of the unit for income generation and sustainability.
14	Relocation of toilets to be possible from one location to another with minimum cost – Plug and play concept

Material Specification

Sl. No	Parts	Specifications
1	Metal Base	1.5 mm thick sheets with 2 mm stiffeners (SS304 grade)
2	Floor	2 mm thick sheets with stiffeners (SS 304 Grade)
3	Front pillar	50 mm L x 25 mm W x 1.29 mm thick (SS 304 Grade)
4	Back Pillar	50 mm L x 25 mm W x 1.29 mm thick (SS 304 Grade)
5	Side walls	0.8 mm thickness with proper stiffeners interlocking walls
6	Tank support	25 mm L x 25 mm W x 1.6mm thickness (SS 304 grade)

1 KLD Bio Digester specification

Sl No	Parameters	Specifications
1	Inside area of Tank	Approximately 1 M x 1 M x 1 M(Lx B x H)
2	Built of bottom area of Tank	Shall be made of RCC/PCC for making it leak-proof
3	Sidewalls of the Tank	Inner side walls will be plastered for leak-proof and the thickness of the wall shall be minimum 6 inches
4	Inside partition	A length wise partition wall shall be made in the middle with 4 inches thickness and plastered at both ends.
5	Bacterial immobilization	Inner wall are provided with sufficient plastic/ nylon mesh for bacteria immobilization
6	Innoculum Bacteria	30 % amount of Innoculum bacteria to be poured in the bio digester tank during initial time as per the standards

Sd/-
Excise Commissioner